



GENERAL NOTES:
 1. ALL EXTERIOR WALLS TO BE INSULATED ON THE INTERIOR SIDE
 2. PATCH & MAKE GOOD ALL EXISTING CONC. SLABS & FINISH WITH INDUSTRIAL GRADE CLEAR DUST FREE SEALANT WHERE OTHER FLOOR FINISH IS NOT SPECIFIED




- LEGEND:
- EXISTING WALLS
 - PROPOSED WALLS & DOORS
 - ELEC. ELECTRICAL
 - OPEN TO ABOVE

- ① S. & I. NEW EXHAUST FAN IN EXISTING BLOCK WALL CUT-OUT
- ② S. & I. NEW 26"H x 80"W CLERESTORY WINDOW (WINDOW SILL 6'-4" A.F.F.) @ EXISTING BLOCK IN-fill OPENING (CONTRACTOR TO VERIFY SITE CONDITIONS)
- ③ PROVIDE SOUND INSULATION BETWEEN SHOP AREA & OFFICE AREAS
- ④ S. & I. 36" x 36" x 48" DEEP CONC. PIER WITH FOOTING, CUT & REMOVE EXISTING SLAB AT THIS LOCATION. INSTALL METAL PLATE FLUSH WITH FINISH FLOOR
- ⑤ S. & I. NEW CERAMIC TILE FLOORING
- ⑥ S. & I. NEW LAMINATE FLOORING
- ⑦ S. & I. NEW WOOD STEPS & RAILINGS AS PER CURRENT BUILDING CODE REQUIREMENTS
- ⑧ RELOCATE EXISTING DOOR & WINDOW SECTIONS AS PER DRAWING

PREPARED FOR: District Ready Corporation,
 Brokerage
 ADDRESS: 1800 Woodward Dr., Ottawa, ON
 DATE: September 20, 2012
 REVISION: September 30, 2012
 PROJECT NUMBER: 100587

DRAWING SCALE: 1/4" = 1' - 0"
 ECHO FLOOR PLANS
 8 Ashburton Floor Plans
 8 Space Planning
 8 Space Design
 WWW.ECHOFLOORPLANS.COM

NOTE: SOME AREAS WERE NOT ACCESSIBLE TO MEASUREMENT



PREPARED BY: ECHOFLOORPLANS.COM